



Reg. No. 010/P-012

EVPÚ[®]



CERTIFICATE No. 00036/101/1/2022

on July 8th, 2022

Certification body of EVPÚ a.s. confirms the compliance of the products with requirements of undermentioned standard.

Product: **Fire detection and fire alarm system**

Type: **Fire detection and fire alarm system with control and indicated equipment AM-2000**

The list of system compatible components: **See Annex No. 1**

Specification: **230VAC, 0.5A, 50/60Hz**

Client: **Notifier Italia S.r.l.,
Via Grandi, 22, 20097 San Donato Milanese (MI), Italy**

Manufacturer: **Notifier Italia S.r.l.,
Via Grandi, 22, 20097 San Donato Milanese (MI), Italy**

Standard: **EN 54-13: 2017 + A1: 2019**

Results of tests of mentioned products are summarized in Final report on assessment No. **0-0225/22/C** of July 8th, 2022.

Validity of certificate
is limited for the period
from: **July 8th, 2022**
until: **July 7th, 2025**



Michal Mišiak


Any significant changes in the design or construction of the products or amendments of the technical decrees reference above may render this Certificate invalid. The product liability rests with the manufacturer or his representative.

054355

EVPÚ a.s., Trenčianska 19, 018 51 Nová Dubnica, Slovak republic, www.evpu.sk

The list of system compatible components (part 1):


CIE	Descriptions	Honeywell Items
AM-2000	Analog addressable fire detection panel	-
DETECTORS	Descriptions	Honeywell Items
NFXI-OPT	Photo-Electronic smoke Detector	TC806EIS1012
NFXI-OPT-BK	Photo-Electronic smoke Detector	
NFXI-TDIFF	Rate-of-rise thermal Detector	TC808EIS1028
NFXI-TFIX58	Thermal Detector	TC808EIS1002
NFXI-TFIX78	High temperature thermal Detector	TC808EIS1051
NFXI-SMT2	Photo-Thermal Detector	TC840MEIS
NFXI-SMT3	Multi-criteria Detector	TC840MFEIS
72051EI	High sensitivity smoke Detector	TC846E1005
B501AP	Base for Detector	-
NFXI-BEAM-40-E	Addressable Beam Detector	-
NFXI-BEAM-E	Addressable Beam Detector	-
NFXI-BEAM-TE	Addressable Beam Detector	TC847A1004EURIS
NFXI-OSI-RIE	Addressable Beam Detector	-
IDX-751 AE	Intrinsically safe smoke Detector	TC842B1007 AE
DNRE	Duct detector Housing	-
DNRE-HS	Duct detector Housing	-
MANUAL CALL POINTS	Descriptions	Honeywell Items
M5A-RP02SG-N026-01	Addressable Manual call Point	M5A-RP04SG-N026-03
W5A-RP02SG-N026-01	Addressable Manual call Point	W5A-RP04SG-N026-02
MCPSC-NT	Addressable Manual call Point	-
WCPSC-NT	Addressable Manual call Point	-
P700N	Addressable Manual call Point	-
P700	Addressable Manual call Point	-
MODULES	Descriptions	Honeywell Items
M710-CZ	Conventional Interface module	TC841E1019
M710-CZR	Conventional Interface module	TC841E1019EIS
M710E-CZ	Conventional Interface module	TC841E1019A
M710E-CZR	Conventional Interface module	TC841E1019EISA
M701E	Single output module	TC810E1032A
M710E	Single input module	TC809E1043A
M720E	Dual Input module	TC809E1050A



The list of system compatible components (part 2):


M721E	Dual input, single output module	TC809E1068A
M701	Single output module	TC810E1032
M710	Single input module	TC809E1043
M720	Dual Input module	TC809E1050
M721	Dual input, single output module	TC809E1068
M700X	Short circuit isolator module	-
M701-240	Single output module	TC810E1040
M701E-240	Single output module	TC810E1040A
M701-240-DIN	Single output module	TC810E1057
NFX-MM1M	Micro-Monitor Module	-
CMA11E	Micro single input, Single output module	-
CMA22	Dual input, dual output module	-
CMA1-NI	Single output module	-
MMA1-NI	Single input module	-
MMX-10ME	Ten input module	-
CMX-10RME	Ten output module	-
MCX-55ME	Five input, Five output module	-
SOUNDER-FLASH	Descriptions	Honeywell Items
WSO-PR-I02	Addressable Audio/visual device	WSO-PR-I01
WST-PR-I02	Addressable visual device	-
VAD-PC-I02	Addressable visual device	-
WST-PC-I02	Addressable visual device	WST-PC-I01
WSS-PR-I02	Addressable Audio/visual device	WSS-PR-I01
WSS-PC-I02	Addressable Audio/visual device	WSS-PC-I01
BSO-PP-I02	Addressable Audio/visual device	BSO-PP-I01
BRH-PC-I02	Addressable Audio/visual device	BRH-PC-I01
BRS-PC-I02	Addressable Audio/visual device	BRS-PC-I01
BGL-PC-I02	Addressable Audio/visual device	BGL-PC-I01
DSS-PC-I02	Addressable Audio/visual device	DSS-PC-I01
PAN1-PLUS-ADV	Addressable Audio/visual device	-
ASPIRATION SYSTEMS	Descriptions	Honeywell Items
FL2011EI-HS	Addressable Aspiration System	-
FL2012EI-HS	Addressable Aspiration System	-
FL2022EI-HS	Addressable Aspiration System	-

054356



The list of system compatible components (part 3):


WIRELESS DEVICES	Descriptions	Honeywell Items
NRXI-GATE	Wireless Gateway	-
NRX-REP	Wireless repeter	-
B501RF	Base for wireless detectors	-
NRX-OPT	Wireless Optical detector	-
NRX-SMT3	Wireless multi-criteria detector	-
NRX-TFIX58	Wireless thermal detector	-
NRX-TDIFF	Wireless rate-of-rise thermal detector	-
NRX-WCP	Wireless Mmanual call point	-
B501RF-RR	Base for wireless Audio/visual device	-
NRX-WS-RR	Wireless Audio device	-
NRX-WSF-RR	Wireless Audio/visual device	-
NRX-M711	Wireless single input, single output module	-
CONVENTIONAL DEVICES CONNECTED BY INPUT MODULE		
ASPIRATION SYSTEMS	Descriptions	Honeywell Items
VLF-250-01	Aspiration System	-
VLF-500-01	Aspiration System	-
VEU-A00	Aspiration System	-
VEU-A10	Aspiration System	-
VEP-A00-P	Aspiration System	-
VEP-A10-P	Aspiration System	-
VEP-A00-1P	Aspiration System	-
VES-A00-P	Aspiration System	-
VES-A10-P	Aspiration System	-
VEA-040-A00	Aspiration System	-
VEA-040-A10	Aspiration System	-
VER-A40-40-STX	Aspiration System	-
VLI-880	Aspiration System	-
VLI-885	Aspiration System	-
FLX-010	Aspiration System	-
FLX-020	Aspiration System	-
FLAME DETECTORS	Descriptions	Honeywell Items
20/20-MPI-R	Flame Detector	-
40/40DLB631SCY7	Flame Detector	-



The list of system compatible components (part 4):


40/40DL4B631SCY7	Flame Detector	-
40/40DI631SCY7	Flame Detector	-
40/40DM631SCY7	Flame Detector	-
FS20X-211-23-6	Flame Detector	-
FS20X-211-24-6	Flame Detector	-
FS24X-911-23-6	Flame Detector	-
FS24X-911-24-6	Flame Detector	-
FSL100-UV	Flame Detector	-
FSL100-UVIR	Flame Detector	-
FSL100-IR3	Flame Detector	-
RIV-601/F	Flame Detector	-
RIV-601/FA	Flame Detector	-
RIV-601/S	Flame Detector	-
MANUAL CALL POINTS	Descriptions	Honeywell Items
M3A-R000SG-STCK-01	Manual call point	-
M3A-R000SF-STCK-01	Manual call point	-
W3A-R000SG-STCK-01	Manual call point	-
W3A-R000SF-K013-01	Manual call point	-
W3A-Y000SG-K013-14	Manual call point	-
M3A-B000SG-K013-11	Manual call point	-
THERMAL DETECTORS	Descriptions	Honeywell Items
TMP2-D-xxx	Heat detector	-
TMP2-JO-xxx	Heat detector	-
BEAM DETECTORS	Descriptions	Honeywell Items
6500RE	Conventional Beam detector	-
6500RSE	Conventional Beam detector	-
ES-50	Conventional Beam detector	-
ES-25I	Conventional Beam detector	-
B100	Conventional Beam detector	-
AS/2-100	Conventional Beam detector	-
ASF100 DS-1	Conventional Beam detector	-
ASF-100	Conventional Beam detector	-
BS70	Conventional Beam detector	-
BSF70	Conventional Beam detector	-
BS150	Conventional Beam detector	-

054357



The list of system compatible components (part 5):

BSF150	Conventional Beam detector	-
BOOMER.ILIA	Conventional Beam detector	-
TX-RX ILIA	Conventional Beam detector	-
CSRLS-2	Conventional Beam detector	-
CSRLS-2-DUST-L7	Conventional Beam detector	-
EXP-ILIA2/8	Conventional Beam detector	-
ERHS0712-PRO	Conventional Beam detector	-
CSRLS-PRO	Conventional Beam detector	-
ILEXD	Conventional Beam detector	-
OSI-10	OSID receiver unit	-
OSI-90	OSID receiver unit	-
OSE-SP-01	OSID emitter unit	-
OSE-SPW	OSID emitter unit	-
OSE-HP-01	OSID emitter unit	-
OSE-HPW	OSID emitter unit	-
OSI-RE-SS	Conventional Beam detector	-
CONVENTIONAL DEVICES CONNECTED BY OUTPUT MODULE		
SOUNDERS / FLASH	Descriptions	Honeywell Items
CWSO-RR-S1	Conventional sounder	-
CWSO-RR-W1	Conventional sounder	-
CWST-RW-S5	Conventional Beacon	-
CWST-RR-S5	Conventional Beacon	-
CWST-RW-W5	Conventional Beacon	-
CWST-RR-W5	Conventional Beacon	-
CWSS-RR-S3	Conventional sounder / Beacon	-
CWSS-RW-S5	Conventional sounder / Beacon	-
CWSS-RR-S5	Conventional sounder / Beacon	-
CWSS-RW-W5	Conventional sounder / Beacon	-
CWSS-RR-W5	Conventional sounder / Beacon	-
CWSS-RR-W3	Conventional sounder / Beacon	-
CWSS-RB-S7	Conventional sounder / Beacon	-
CWSS-RB-W7	Conventional sounder / Beacon	-
DSE1-EN	Acoustic self-powered device	-
DSE1-PW	Audio/Visual Device	-



The list of system compatible components (part 6):

DSE2-EN	Sounder Device	-
DSE3-EN	Audio/Visual Device	-
DSE3-HQW	Audio/Visual Device	-
DSE3-23 HW	Audio/Visual Device	-
DSE3-23 HQ	Audio/Visual Device	-
PY X-S-05	Visual alarm Device	-
PY X-S-05-CL	Visual alarm Device	-
PY X-M-05-CL	Visual alarm Device	-
PY X-M-05-RED	Visual Alarm device	-
PY X-M-10	Visual Alarm device	-
PY X-M-10-CL	Visual Alarm device	-
PA 5	Sounder Alarm device	-
PA 5-GREY	Sounder Alarm device	-
PA 10	Sounder Alarm device	-
PA 10-GREY	Sounder Alarm device	-
PA 20	Sounder Alarm device	-
PA 20-GREY	Sounder Alarm device	-
PA X 1-05	Visual/Acoustic Alarm device	-
PA X 1-05-CL	Visual/Acoustic Alarm device	-
QUADRO F12 -3G/3D	Visual/Acoustic Alarm device	-
DS 10 -3G/3D	Visual/Acoustic Alarm device	-
BExS 110D-C	Sounder Alarm device	-
BExDS 120D-C	Sounder Alarm device	-
IS-mC1	Sounder Device	-
PAN1-PLUS-W	Audio/Visual Device	-
PAN1-PLUS-Y	Audio/Visual Device	-
PAN1-PLUS-EN3	Sounder Device	-
DOOR HOLDERS	Descriptions	Honeywell Items
960120	Door Holder	-
960119	Door Holder	-
960121	Door Holder	-
960122	Door Holder	-
960130	Door Holder	-
UTKFM05	Door Holder	-



The list of system compatible components (part 7):

UTKFM10	Door Holder	-
UTKFZ05C	Door Holder	-
UTKFZ05L	Door Holder	-
REMOTE POWER SUPPLY FOR CONVENTIONAL DEVICES	Descriptions	Honeywell Items
HLSPS25	Power Supply equipment	-
ALI50EN	Power Supply equipment	-
HLSPS50	Power Supply equipment	-
EFC-PS524	Power Supply equipment	-
VPS-250-E5	Power Supply equipment	-
DIGITAL COMMUNICATOR	Descriptions	Honeywell Items
DAL-COM-21	Digital Communicator IP/4G	-
EXTINGUISHING PANEL	Descriptions	Honeywell Items
UDS-4N	Addressable extinguishing panel	-
LCD-REPEATERS	Descriptions	Honeywell Items
LCD-6000N	Display repeater for AM-2000	-
LCD-6000A	Display repeater for AM-2000	-
LCD-6000G	Display repeater for AM-2000	-
LCD-6000T	Display repeater for AM-2000	-

