TELETEK



№ 93/2023

According to Construction Products Regulation EU № 305/2011

1. Unique identification code of the product-type:

SensoIRIS MOUT-240, SensoIRIS MOUT-240 IP55, SensoIRIS MOUT-240 IP65

2. Type Number:

SensoIRIS MOUT-240, SensoIRIS MOUT-240 IP55, SensoIRIS MOUT-240 IP65

Description:

Intelligent analogue addressable electrical mains switching output module with built-in isolator

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer

Fire detection and fire alarm systems installed in and around buildings

4. Manufacturer

Teletek Electronics JSC 2, Iliyansko shose Str. NPZ Voenna Rampa 1220 Sofia, Bulgaria

5. Trading Company

Teletek Electronics JSC 2, Iliyansko shose Str. NPZ Voenna Rampa 1220 Sofia, Bulgaria

6. System of assessment

System 1

7. Notified Body

EVPU a.s. 19 Trencianska Str. 018 51 Nova Dubnica, Slovakia

Notified Body Number

1293

Performed the prescribed tests and evaluation of factory production control according to system 4 and issued the following certificate

EC Certificate Number

1293- CPR-0703 Rev.1

TELETEK

8. No European Technical Assessment has been issued for this product.

9. Declared performance

Essential characteristics	Performance	Harmonized technical specification EN 54-18:2005 EN 54-18:2005/AC:2007
Response delay (response time)	Pass	5.2
Operational reliability	Pass	5.1.4
Performance under fire conditions	Pass	5.1.4
Durability of operational reliability:	Pass	5.3, 5.4
temperature resistance		
Durability of operational reliability; vibration resistance	Pass	5.8 to 5.11
Durability of operational reliability; humidity resistance	Pass	5.5, 5.6
Durability of operational reliability; corrosion resistance	Pass	5.7
Durability of operational reliability; electrical stability	Pass	5.2, 5.12

Essential characteristics	Performance	Harmonized technical specification EN 54-17:2005
D.C. I.C. IV.	D	EN 54-17:2005/AC:2007
Performance under fire conditions	Pass	5.2
Operational reliability	Pass	4
Durability of operational reliability	Pass	5.4, 5.5
andresponse delay:		
temperature resistance		
Durability of operational reliability:	Pass	5.6, 5.7
humidity resistance		20
Durability of operational reliability:shock	Pass	5.9 to 5.12
and vibration		
resistance		
Durability of operational reliability:	Pass	5.8
corrosion resistance		
Durability of operational reliability:	Pass	5.3, 5.13
electrical stability		

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

TELETEK

Yulix Hieyoni Quality Manager

Signed for and on behalf of the manufacturer by:

2, Iliyansko shose Str. NPZ Voenna Rampa 1220 Sofia, Bulgaria

14.11.2023